

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
1	BRS	32	blind with identification with source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/06/29 12:34	
2	BRS	442	blind with identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:09	
3	BRS	9	blind with identification with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/06/29 12:34	
4	BRS	23	blind with identification same matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/06/29 12:36	
5	BRS	2	blind with identification with receive\$3 same matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/06/29 12:36	
6	BRS	58	blind with identification and receive\$3 with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 12:43	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	4	blind with identification with matrix with vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 12:03	
8	IS&R	3	("6711528").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 12:53	
9	BRS	2	"20040260522"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 12:37	
10	BRS	7	blind with identification and receive\$3 with matrix and redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 12:44	
11	BRS	2816	702/66,79,80,111,124,126,1 47,149,187,189,190,191,196 .ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 12:55	
12	BRS	2688	324/309.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 12:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	274	342/147.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 12:57	
14	BRS	940	455/63.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:00	
15	BRS	1455	375/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:00	
16	BRS	1553	455/63.1,303,304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:00	
17	BRS	2202	375/324,340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:01	
18	BRS	2281	375/324,325,340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
19	BRS	2	blind with identification and identify\$3 with (matrix or matrices) with direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:11	
20	BRS	2	blind with identification and identify\$3 with (matrix or matrices) with direct\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:11	
21	BRS	48	blind with identification and (matrix or matrices) with direct\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:11	
22	BRS	25	blind with identification and (matrix or matrices) with direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:14	
23	BRS	9	blind with identification and (matrix or matrices) with direction\$1 with vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:13	
24	BRS	1	blind with identification and (matrix or matrices) with direction\$1 with source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	2	blind with identification and (matrix or matrices) with direction\$1 with source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:14	
26	BRS	10	blind with identification with source\$1 and (matrix or matrices) with direction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:17	
27	BRS	9	blind with identification with source\$1 and (matrix or matrices) with direction\$1 with vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:17	
28	BRS	9	blind with identification with source\$1 and (matrix or matrices) with direction\$1 with vector\$1 and source\$1 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:18	
29	BRS	1	blind with identification with source\$1 and (matrix or matrices) with direction\$1 with vector\$1 and source\$1 with receiver\$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	1	blind with identification with source\$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:24	
31	BRS	1	blind with identification and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:19	
32	BRS	2	blind with source\$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:26	
33	BRS	56	blind with source\$1 and (separat\$3 or circular) with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:27	
34	BRS	1	blind with source\$1 and (separat\$3 or circular) with statistics with redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:27	
35	BRS	1	blind with source\$1 and (separat\$3 or circular) with statistics same redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
36	BRS	3	blind with source\$1 and source with redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:30	
37	BRS	0	blind with identification and source with redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:42	
38	BRS	1	blind with identification with source and redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:31	
39	BRS	14	blind with identification and redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:31	
40	BRS	3052	375/259, 324, 325, 340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:34	
41	BRS	2781	714/755, 786, 795, 794.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 13:37	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	2935	714/751, 755, 786, 795, 794.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 13:37	
43	BRS	16563	370/235, 228, 349, 232, 252, 389, 391, 394, 399, 422, 467, 216, 320, 392, 477, 242, 256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 13:37	
44	BRS	0	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source with redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 13:44	
45	BRS	1	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$1 with redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 13:44	
46	BRS	2	(self adj learn\$3 or self-learned or blind) with (separate or identification) with redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 13:45	



	Type	Hits	Search Text	DBs	Time Stamp	Comments
47	BRS	6	(self adj learn\$3 or self-learned or blind) with (separate or identification) and order\$3 with redundant\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 13:47	
48	BRS	66	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 13:50	
49	BRS	66	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$1 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 13:51	
50	BRS	2	(self adj learn\$3 or self-learned or blind) with (separate or identification) and sources with receivers and even with order\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:01	
51	BRS	22	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and even with order\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:01	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
52	BRS	0	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and even with order\$3 with redundan\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:01	
53	BRS	0	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and even with order\$3 same redundan\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:02	
54	BRS	12	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and even with order\$3 and redundan\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:05	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
55	BRS	0	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and direction with vector\$1 with even with order\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:05	
56	BRS	2	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and direction with vector\$1 with order\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:06	
57	BRS	0	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and (identify\$3 or determin\$3) with (matrix or matrices) with direction with vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
58	BRS	9	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and (identify\$3 or determin\$3) with (matrix or matrices) with direction with vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:26	
59	BRS	10	(self adj learn\$3 or self-learned or blind) with (separate or identification) and source\$ with receiver\$ and (matrix or matrices) with direction with vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:26	
60	BRS	11	(self adj learn\$3 or self-learned or blind) with (separate or identification) and sources with receivers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 16:15	
61	BRS	288	381/94.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:44	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
62	BRS	30	(self adj learn\$3 or self-learned or blind) with (separate or identification) and (matrix or matrices) with vector\$1 and source\$1 with receiver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:46	
63	BRS	7	(self adj learn\$3 or self-learned or blind) with (separate or identification) and (matrix or matrices) with vector\$1 and sources with receivers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 15:46	
64	BRS	7	(self adj learn\$3 or self-learned or blind) with (separate or identification) and sources with receivers and (matrices or matrix) with vector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 16:17	

Type	Hits	Search Text	DBs	Time Stamp	Comments
65 BRS 6		(self adj learn\$3 or self-learned or blind) with (separate or identification) and sources with receivers and (matrices or matrix) with vector\$1 and order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 16:17	
66 BRS 1		(self adj learn\$3 or self-learned or blind) with (separate or identification) and sources with receivers and (matrices or matrix) with vector\$1 and high with order	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 16:20	
67 BRS 1		(self adj learn\$3 or self-learned or blind) with (separate or identification) and sources with receivers and (matrices or matrix) with vector\$1 and proper with information\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 16:21	
68 BRS 1		higher-order with blind with identification with mixtures with sources	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/07/06 16:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
69	BRS	1	(high adj order or higher-order) with blind with identification with sources	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 16:22	
70	BRS	2	(high adj order or higher-order) same blind with identification with sources	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/07/06 16:22	